

AutoStak



AutoStak Palletizing System has the highest speeds in the industry today, plus the most reliable, versatile functionality. Our robotic solutions will take your business into the future.

Automatän

Engineering Solutions for Your Success





ROBOT

The AutoStak Palletizing System is responsible for transferring bundles of corrugated material from the inbound conveyor system to a customer supplied load former utilizing the End of Arm Tool and custom programming.



END OF ARM TOOL (EOAT) – BUNDLE TRANSPORTER

The AutoStak Palletizing EOAT is responsible for transferring the corrugate bundles from the outbound conveyor system to the palletizing area utilizing paddles.



ROBOTIC TIE SHEET INSERTER

The Robotic Tie Sheet Inserter will automatically insert a tie sheet between the desired layer(s) as the bale is formed.

AutoStak

SAFETY SYSTEM


The safety system is responsible for preventing accidental exposure to the system. The system will utilize steel frame construction with wire mesh panels, one (1) interlocked access door, one (1) remote e-stop located at the cell entrance, operator awareness signs, system light tower and a complete safety assessment, ensuring that the manufacturing system meets with the current RIA safety standards.

SUMMARY

The operator enters the job number into the controller. Bundles enter the work cell on an inbound conveyor and are turned by the robot if necessary. The EOAT then uses paddle transport fingers to grip the bundle and

transfer it to the palletizing area.

Before the new pallet is started, a robotic dunnage sheet inserter will insert dunnage sheets on the conveyor. Between each layer, the robot will load tie sheet if required to aid in stack strength. When the unit is complete, the robot will index the outbound bale conveyor and repeat the process.



HIGH SPEED TURN STATION (OPTIONAL)

A powered turn station that turns strapped and unstrapped bundles prior to the bundles entering the AutoStak Robotic bundle slide area to achieve speeds greater than 12 bundles per minute and up to 18 bundles per minute.



ROBOTIC DUNNAGE SHEET INSERTER

Builds the desired dunnage pattern automatically and inserts the sheet(s) before each new bale is formed. The system will place the number of sheets and configuration as desired.


AutoStak

The system includes:

- End of Arm Tool (EOAT) – Bundle Transporter
- Robotic Tie Sheet Inserter
- Robotic Dunnage Sheet Inserter
- Safety System
- System Controls
- Conveyor integration to control and justify strapped and unstrapped bundles
- System Engineering
- Up to 12 bundles per minute





Benefits:

- Reduce manual labor, decreases operator fatigue and injuries
- Handle multiple bundle styles, strapped or unstrapped
- Increase machine run time and efficiency
- Able to utilize various dunnage and tie sheet sizes
- Layout is friendly, allows for manual stacking, if required
- Store jobs for quick set ups
- Up to 18 bundles per/minute
- Up to 26,000 sheets per hour
- Build and serviced in the United States
- As quick as 9 month ROI



PALLETIZED TO ANY CONFIGURATION

With over 68 pallet configurations AutoStak Palletizing system will provide you with the most versatile functionality in the industry. Illustrated are some of the most common configurations.



Automatan

Engineering Solutions for Your Success

2911 Apache Drive | Plover, WI 54467 USA

Tel: 715-341-6501 | Fax: 715-345-1004

e-mail: info@automatan.com | website: www.automatan.com